

CITY OF YUCAIPA
ORDINANCE NO 346
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date: 2/1/18

PROPERTY MAINTINENCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present – (very few.)	x	
Leaks required to be repaired immediately.		x
Leaks causing wet manure	x	
Wet manure being removed or treated with lime	x	
FEED:	YES	NO
Spilled feed present		x
Evidence of rodent Infestation present		x
EQUIPMENT:	YES	NO
Operable spray equipment on site	x	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days....See notes below.		x
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	x	
Removed from ranch weekly	x	

FLY CONTROL

BAIT STATIONS:		YES	NO		
Adult fly bait station located at the end of every house		x			
Bait stations maintained properly		x			
Adult flies	NOT OBSERVED	LIGHT	MODERATE	HEAVY	
Adult fly population on the ranch			x		
Emergency Activities need to be implemented		YES		NO x	

LARVA BREEDING	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch			x	
Emergency activities need to be implemented	YES		NO	x

RANCH IS IN COMPLIANCE	YES	x	NO
------------------------	-----	---	----

OBSERVATIONS:

Pesticide application and manure removal logs are current.
Pesticide applied 1/22/18, 1/25/18, 1/29/18 and 1/31/18.
Weather; in the mid-80s and very warm this week.
Moderate fly population this week due to a manure machine break down.
Machine is now up and running, the crews are hustling to resolve this problem.
Manure removal scheduled for today.
Bait stations are present and working needs some maintenance.

RECOMMENDATIONS:

None.

ACTION TAKEN:

None.

Biosecurity Measures Taken Yes x No

Inspected By: T. Osborne