# CITY OF YUCAIPA ORDINANCE NO 347 POULTRY RANCH INSPECTION

Ranch Name: Egg Masters	Date 05/19/2021
-------------------------	-----------------

## **PROPERTY MAINTENANCE**

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present		Х
Leaks required to be repaired N/A 🗵 IMM	IEDIATELY	24 HOURS 🗆
Leaks causing wet manure		х
Wet manure being removed or treated with lime		Х
FEED:	YES	NO
Spilled feed present		x
Evidence of rodent Infestation present		х
EQUIPMENT:	YES	NO
Operable spray equipment on site	x	

## MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	x	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	х	
Removed from ranch weekly	Х	

## **FLY CONTROL**

BAIT STATIONS:			ES	NO	
Adult fly bait station located at the end of every house			х		
Bait stations maintained properly			х		
Adult flies:	NOT OBSERVED	LIGHT	MODER	ATE	HEAVY
Adult fly population on the ranch	Х				
Emergency Activities need to be implemented		YES		NO	Х

LARVA BREEDING:	NOT OBSERVED		LIGHT	MOD	ERATE	HEAVY
Larva breeding on the ranch	Х					
Emergency activities need to be implemented		YE	S		NO X	

RANCH IS IN COMPLIANCE	YES X	NO
------------------------	-------	----

#### **OBSERVATIONS:**

**From Last Inspection**- Dismantling/cage conversion project is still on-going and significant progress has been made and another coop has been converted to cage free. There has also been significant progress towards removing the overgrown vegetation on site, most of if not all the impacted areas have been addressed. The cement entryway in coop 12 looked clean and free of accumulation of feathers and waste.

**At this inspection**- The coop 11 cement entryway had some waste and accumulation of feathers, and there is still discarded scrap metal and other debris around the ranch.

#### **RECOMMENDATIONS:**

Keep cement entries and in the external areas of the coops clean and free of any accumulation of feathers and waste. Properly dispose of sheet metal that has been discarded around the ranch.

ACTION TAKEN:				
NONE				
Biosecurity Measures Taken	Yes <u>X</u>	No		
Inspected By: <u>Leander Rodriguez</u>				