

CITY OF YUCAIPA
ORDINANCE NO 347
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date: Tuesday 7/31/18

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present	x	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure	x	
Wet manure being removed or treated with lime	x	
FEED:	YES	NO
Spilled feed present		x
Evidence of rodent Infestation present		x
EQUIPMENT:	YES	NO
Operable spray equipment on site	x	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	x	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers		x
Removed from ranch weekly	x	

FLY CONTROL

BAIT STATIONS:	YES	NO		
Adult fly bait station located at the end of every house	x			
Bait stations maintained properly	x			
Adult flies:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch			x	
Emergency Activities need to be implemented	YES		NO	x

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch			x	
Emergency activities need to be implemented	YES		NO x	

RANCH IS IN COMPLIANCE	YES	NO x
-------------------------------	------------	-------------

OBSERVATIONS:

Manure and pesticide logs are current.
Pesticide applied 7/24-25/18 and 7/29/18.
Weather; high of 100s and low 70s this week.
Moderate fly population observed.
Most houses are extremely wet due to overhead misters and leaks in the system.
Bait stations need maintenance.

RECOMMENDATIONS:

Repair or replace water system, remove all wet manure and water puddles.
Treat all house saturated areas with poultry treatment litter
Bait stations need maintenance.

ACTION TAKEN:

Second citation issued.

Biosecurity Measures Taken Yes x No

Inspected By: T. Osborne _____