

CITY OF YUCAIPA
ORDINANCE NO 346
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date: 8/30/17

PROPERTY MAINTINENCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present	x	
Leaks required to be repaired immediately (House #00 and 6)	x	
Leaks causing wet manure	x	
Wet manure being removed or treated with lime	Yes, Removed today	
FEED:	YES	NO
Spilled feed present		x
Evidence of rodent Infestation present		x
EQUIPMENT:	YES	NO
Operable spray equipment on site	x	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	x	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	x	
Removed from ranch weekly	x	

FLY CONTROL

BAIT STATIONS:		YES	NO	
Adult fly bait station located at the end of every house		x		
Bait stations maintained properly		x		
Adult flies	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch		x		
Emergency Activities need to be implemented		YES		NO x

LARVA BREEDING	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch		x		
Emergency activities need to be implemented		YES		NO x

RANCH IS IN COMPLIANCE	YES x	NO
------------------------	-------	----

OBSERVATIONS:

Pesticide and manure removal logs are current. Pesticide sprayed on 8/22/17 and pesticide granules put down on 8/24/17. Water leak from overhead misters, have caused a problem in houses # 00 and 6 due to the excessive heat. Ranch Manager is currently removing wet manure and removal company will haul off this extra load today. Manager is applying pesticide again today (8/30/17), in houses 00 and 6. Ranch looks good. Weather; in the 100 to 110 this week. Fly population is low.

RECOMMENDATIONS:

None.

ACTION TAKEN:

None.

Biosecurity Measures Taken Yes x No

Inspected By: T. Osborne