

CITY OF YUCAIPA  
ORDINANCE NO 346  
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date: 10/4/17

**PROPERTY MAINTINENCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present - very few	x	
Leaks required to be repaired immediately.		x
Leaks causing wet manure	x	
Wet manure being removed or treated with lime	x	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		x
Evidence of rodent Infestation present		x
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	x	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days	x	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	x	
Removed from ranch weekly	x	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		x		
Bait stations maintained properly		x		
<b>Adult flies</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch		x		
Emergency Activities need to be implemented		<b>YES</b>		<b>NO</b> x

LARVA BREEDING	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch		x		
Emergency activities need to be implemented	YES		NO x	

<b>RANCH IS IN COMPLIANCE</b>	YES x	NO
-------------------------------	-------	----

**OBSERVATIONS:**

Pesticide application and manure removal logs are current.  
Pesticide applied on 9/27/17, 9/30/17 and 10/2/17.  
Water cup leaks in houses #0 and #6.  
Ranch looks good. Weather; in the mid-70s and 80s this week. Fly population is very low.

**RECOMMENDATIONS:**

None.

**ACTION TAKEN:**

None.

Biosecurity Measures Taken Yes  x  No

Inspected By:  T. Osborne