CITY OF YUCAIPA
ORDINANCE NO 347
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters | **Date 11/01/2023**

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	**YES**	**NO**
Leaks present		**X**
Leaks required to be repaired **N/A** ☒ **IMMEDIATELY** ☐ **24 HOURS** ☐		
Leaks causing wet manure		**X**
Wet manure being removed or treated with lime		**X**
FEED:	**YES**	**NO**
Spilled feed present		**X**
Evidence of rodent Infestation present		**X**
EQUIPMENT:	**YES**	**NO**
Operable spray equipment on site	**X**	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	**YES**	**NO**
Raw Manure removed from the ranch within three (3) days	**X**	
DEAD BIRDS/BROKEN EGGS:	**YES**	**NO**
Stored in Fly-tight containers	**X**	
Removed from ranch weekly	**X**	

FLY CONTROL

BAIT STATIONS:		**YES**		**NO**
Adult fly bait station located at the end of every house				**X**
Bait stations maintained properly		**X**		
Adult flies:	**NOT OBSERVED**	**LIGHT**	**MODERATE**	**HEAVY**
Adult fly population on the ranch		**X**		
Emergency Activities need to be implemented		**YES**		**NO X**

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			

Emergency activities need to be implemented	YES	NO X

RANCH IS IN COMPLIANCE	YES X	NO

OBSERVATIONS:

All houses had replenished fly bait traps. The floors in each of the houses were swept and mostly free of feathers and debris. Each of the houses had property ventilation. The ranch remains in compliance.

RECOMMENDATIONS:

Keep cement entryways of miscellaneous spilled fluids that will attract flies. Continue to keep areas outside of the chicken houses as clean as possible from manure and large quantities of accumulation of feathers. Continue, as much as possible, to avoid leaving open sitting water that will attract flies.

ACTION TAKEN:

NONE

Biosecurity Measures Taken Yes__X__ No_____

Inspected By: Leander Rodriguez