

CITY OF YUCAIPA
ORDINANCE NO 346
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date: 11/15/17

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present – (very few will remove today.)	x	
Leaks required to be repaired immediately.		x
Leaks causing wet manure	x	
Wet manure being removed or treated with lime	x	
FEED:	YES	NO
Spilled feed present		x
Evidence of rodent Infestation present		x
EQUIPMENT:	YES	NO
Operable spray equipment on site	x	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	x	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	x	
Removed from ranch weekly	x	

FLY CONTROL

BAIT STATIONS:		YES	NO	
Adult fly bait station located at the end of every house		x		
Bait stations maintained properly		x		
Adult flies	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch		x		
Emergency Activities need to be implemented		YES		NO x

LARVA BREEDING	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch		x		
Emergency activities need to be implemented		YES		NO x

RANCH IS IN COMPLIANCE	YES x	NO
-------------------------------	-------	----

OBSERVATIONS:

Pesticide application and manure removal logs are current.
Pesticide applied on 11/9/17 and 11/13/17.
Very few water cup leaks at this time; crew will remove wet manure today.
Ranch looks good. Weather; in the mid-70s and low 80s this week.

RECOMMENDATIONS:

None.

ACTION TAKEN:

None.

Biosecurity Measures Taken Yes x No

Inspected By: T. Osborne