

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: Egg Masters

Date; Tuesday 12/11/18

**PROPERTY MAINTENANCE**

| WATER SYSTEM/COOLING SYSTEM:                  | YES   | NO                                |
|---|---|-----------------------------------|
| Leaks present ...Few water cups               | x   |                                   |
| Leaks required to be repaired                 | N/A <input type="checkbox"/> IMMEDIATELY <input type="checkbox"/> | 24 HOURS <input type="checkbox"/> |
| Leaks causing wet manure                      | x   |                                   |
| Wet manure being removed or treated with lime | x   |                                   |
| FEED:   | YES   | NO                                |
| Spilled feed present                          | x   |                                   |
| Evidence of rodent Infestation present        |   | x                                 |
| EQUIPMENT:                                    | YES   | NO                                |
| Operable spray equipment on site              | x   |                                   |
|   |   |                                   |

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

| MANURE:   | YES | NO |
|---|-----|----|
| Raw Manure removed from the ranch within three (3) days | x   |    |
| DEAD BIRDS/BROKEN EGGS:                                 | YES | NO |
| Stored in Fly-tight containers                          | x   |    |
| Removed from ranch weekly                               | x   |    |

**FLY CONTROL**

| BAIT STATIONS:   |              | YES   | NO       |       |
|--|--------------|-------|----------|-------|
| Adult fly bait station located at the end of every house |              | x     |          |       |
| Bait stations maintained properly                        |              | x     |          |       |
| Adult flies:   | NOT OBSERVED | LIGHT | MODERATE | HEAVY |
| Adult fly population on the ranch                        | x            |       |          |       |
| Emergency Activities need to be implemented              |              | YES   |          | NO x  |

