

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: Hidden Villa

Date: 3/28/2018

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure		X
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		X
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

**FLY CONTROL**

<b>BAIT STATIONS:</b>	<b>YES</b>	<b>NO</b>		
Adult fly bait station located at the end of every house	X			
Bait stations maintained properly	X			
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		YES		NO X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

<b>RANCH IS IN COMPLIANCE</b>	YES X	NO
-------------------------------	-------	----

**OBSERVATIONS:**

The fly population was very low. The manure truck was scheduled for today workers had the tractor bucket filled with debris and manure to be removed. There was a shut off valve located near a vacant coop that has been leaking and causing water to accumulate. Due to current rains the ranch is experiencing excessive vegetation growth, and a puddle of standing water has accumulated at the rear of the property.

**RECOMMENDATIONS:**

Immediately repair the leaking shut off valve. Abate all of the overgrown vegetation and grade out the ground area where the water is puddling. When removing manure extra attention should be given to a few sections (around the cage free coop) that were pointed out during our walk through.

**ACTION TAKEN:**

None

Biosecurity Measures Taken      Yes   X      No       

Inspected By:   K Graydon