

CITY OF YUCAIPA
ORDINANCE NO 347
POULTRY RANCH INSPECTION

Ranch Name: HOOVER EGG RANCH – 34618 AVE H

Date: February 13, 2018

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
FEED:	YES	NO
Spilled feed present		X
Evidence of rodent Infestation present		X
EQUIPMENT:	YES	NO
Operable spray equipment on site	X	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days	X	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

FLY CONTROL

BAIT STATIONS:	YES	NO		
Adult fly bait station located at the end of every house	X			
Bait stations maintained properly	X			
Adult flies:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch	X			
Emergency Activities need to be implemented	YES		NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

RANCH IS IN COMPLIANCE	YES	X	NO
-------------------------------	------------	----------	-----------

OBSERVATIONS:

No fly population noted. Several areas under the coops were inspected and no larvae were observed. Broken eggs and dead chickens parts were also observed under and between coops. Manure will be picked up this evening (Tuesday), Thursday, and Saturday. Fly traps were rejuvenated today. Vegetation is sparse but needs to be maintained and abated down to 4 inches height at all times.

RECOMMENDATIONS:

Maintain removal of chicken manure per the Manure Management Plan requirements. Abate broken eggs from under and between all coops.

ACTION TAKEN:

Next inspection scheduled for Tuesday, February 27, 2018.

Biosecurity Measures Taken Yes **x** No

Inspected By: P. Swantek