

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: HOOVER EGG RANCH – 34618 AVE H

Date: February 27, 2018

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		X
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days (Removed Tuesdays, Thursdays, and Saturdays)	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly		X		
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch	X			
Emergency Activities need to be implemented		YES	NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

<b>RANCH IS IN COMPLIANCE</b>	YES	X	NO
-------------------------------	-----	---	----

**OBSERVATIONS:**

Weather in the last 24 hours has been cold (in the 30-40 degree range with light snow and rain). No fly population observed. Several different areas under the coops were inspected and no larvae were observed. Minimal broken eggs were noted under coops. Manure will be picked up this evening (Tuesday), Thursday, and Saturday. Fly traps okay. Vegetation is sparse but needs to be abated down to 4 inches height at all times and maintained.

**RECOMMENDATIONS:**

Maintain removal of chicken manure per the Manure Management Plan requirements including raking around the posts of the coops to allow for easier abatement. Repair all leaks that might be caused by the freezing temperatures.

**ACTION TAKEN:**

Next inspection scheduled for Friday, March 16, 2018.

Biosecurity Measures Taken      Yes   x      No       

Inspected By:   P. Swantek