

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: **HOOVER EGG RANCH – 34618 AVE H**

Date: **April 10, 2018**

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/>	IMMEDIATELY <input checked="" type="checkbox"/> 24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		X
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days (Removed Tuesdays, Thursdays, and Saturdays)	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly			X (will be taken care of today)	
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		YES	NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch		X		
Emergency activities need to be implemented		YES	NO	X

<b>RANCH IS IN COMPLIANCE</b>	YES	X	NO
-------------------------------	-----	---	----

### OBSERVATIONS:

Fly population was light...mostly common house flies. Several different areas under the coops were inspected and mature larvae were discovered under coop 21. Owner was told to rake around all uprights on east side of coops (concentrating on coops 1 and 19-21) before next manure collection. Minimal broken eggs were noted under coops. 1 large leak was noted under coop 3 that need to be repaired immediately. Manure will be picked up this evening (Tuesday), Thursday, and Saturday. Fly traps were serviced last Tuesday but a couple were missed so will be taken care of today (they are also getting rather full so will need to be emptied soon. Vegetation needs to be abated down to 4 inches height on a weekly basis.

### RECOMMENDATIONS:

Maintain removal of chicken manure per the Manure Management Plan requirements including raking around the posts of the coops noted above. Repair all leaks in pipes and cups before next inspection. Mow grass down to no higher than 4 inches or spray with roundup.

### ACTION TAKEN:

Next inspection scheduled for Tuesday, April 17, 2018.

Biosecurity Measures Taken      Yes   x      No       

Inspected By:   P. Swantek