

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: **HOOVER EGG RANCH – 34618 AVE H**

Date: **April 24, 2018**

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/>	IMMEDIATELY <input checked="" type="checkbox"/> 24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		X
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days (Removed Tuesdays, Thursdays, and Saturdays)	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly		X		
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		<b>YES</b>		<b>NO X</b>

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

<b>RANCH IS IN COMPLIANCE</b>	YES	X	NO
-------------------------------	-----	---	----

**OBSERVATIONS:**

Fly population was light...not much difference from last inspection...mostly common house flies. Many different areas under the coops were inspected and no larvae were discovered. Owner was again reminded to rake around all uprights on east side of coops (concentrating on coops and 14-21) before next manure collection. No broken eggs were noted under coops. Fly traps were serviced last Tuesday (April 10, 2018). Vegetation looked a lot better but needs to be maintained to 4 inches height on a weekly basis.

**RECOMMENDATIONS:**

Maintain removal of chicken manure per the Manure Management Plan requirements including raking around the posts of the coops noted above. Repair all leaks in pipes and cups before next inspection. Mow grass down to no higher than 4 inches or spray with roundup.

**ACTION TAKEN:**

Next inspection scheduled for Tuesday, May 1, 2018.

Biosecurity Measures Taken      Yes   x      No       

Inspected By:   P. Swantek