

CITY OF YUCAIPA  
ORDINANCE NO 347  
POULTRY RANCH INSPECTION

Ranch Name: **HOOVER EGG RANCH – 34618 AVE H**

Date: **May 8, 2018**

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/>	<b>IMMEDIATELY</b> <input checked="" type="checkbox"/> <b>24 HOURS</b> <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present		X
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days (Removed Mondays, Wednesdays, and Fridays)	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly		X		
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch				X
Emergency Activities need to be implemented		YES	NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES X		NO

<b>RANCH IS IN COMPLIANCE</b>	YES	NO X
-------------------------------	-----	------

**OBSERVATIONS:**

Fly population was very heavy both in the air and on the posts of the coops. Many different areas under the coops were inspected and no larvae were discovered. Many broken eggs were noted under and between coops. Fly traps were serviced last Tuesday (May 1, 2018). Vegetation looked a lot better but needs to be maintained to 4 inches height on a weekly basis.

**RECOMMENDATIONS:**

Maintain removal of chicken manure per the Manure Management Plan requirements. Spray all areas (under coops and between to abate flies). Remove all broken eggs under and between coops. Repair all leaks in pipes and cups before next inspection. Mow grass down to no higher than 4 inches or spray with roundup.

**ACTION TAKEN:**

Next inspection scheduled for Tuesday, May 15 , 2018.

Biosecurity Measures Taken      Yes   x      No       

Inspected By:   P. Swantek