

CITY OF YUCAIPA
ORDINANCE NO 346
POULTRY RANCH INSPECTION

Ranch Name: HOOVER RANCH – 35870 FIR AVE

Date: August 21, 2018

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
FEED:	YES	NO
Spilled feed present	X	
Evidence of rodent Infestation present		X
EQUIPMENT:	YES	NO
Operable spray equipment on site	X	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days (Removed Mondays, Wednesdays, and Fridays)	X	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	X	
Removed from ranch weekly	X (daily)	

FLY CONTROL

BAIT STATIONS:		YES	NO	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly			X	
Adult flies:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		YES		NO X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

RANCH IS IN COMPLIANCE	YES X	NO
-------------------------------	-------	----

OBSERVATIONS:

Fania flies were observed only in the first coop (light). Few amounts of flies were noted in the coop with the dirt floor. Many sites (under coops and large pile) were inspected for evidence of larvae.

In the one coop with the dirt floor, compacted manure was inspected in many damp sections and no larvae were noted in any of them. All coops were treated with insecticide (Triazicide and spray) on Tuesday, August 14 and Friday, August 17, 2018 of last week. Fly traps were rejuvenated on Tuesday, August 14, 2018 and will be done again today.

There were only a couple of leaks noted that will be repaired today. All broken eggs and feathers that were to abated between coops and in free range area by today were not done. Minimal dead chicken parts were discovered during the inspection and were immediately removed for disposal.

RECOMMENDATIONS:

- Maintain removal of chicken manure per the Manure Management Plan requirements (logs sent to City every Monday).
- Clean up broken eggs and feathers between coops and in the free range chicken enclosure BEFORE next inspection or fine will be applied.

ACTION TAKEN:

Next on-site inspection scheduled for **Tuesday, August 28, 2018.**

Biosecurity Measures Taken Yes x No

Inspected By: P.Swantek