

**CITY OF YUCAIPA**  
**ORDINANCE NO 346**  
**POULTRY RANCH INSPECTION**

**Ranch Name: HOOVER RANCH – 35870 FIR AVE**

**Date: November 27, 2018**

**PROPERTY MAINTENANCE**

<b>WATER SYSTEM/COOLING SYSTEM:</b>	<b>YES</b>	<b>NO</b>
Leaks present	X	
Leaks required to be repaired	N/A <input type="checkbox"/> <b>IMMEDIATELY</b> <input checked="" type="checkbox"/>	<b>24 HOURS</b> <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
<b>FEED:</b>	<b>YES</b>	<b>NO</b>
Spilled feed present	X	
Evidence of rodent Infestation present		X
<b>EQUIPMENT:</b>	<b>YES</b>	<b>NO</b>
Operable spray equipment on site	X	

**MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS**

<b>MANURE:</b>	<b>YES</b>	<b>NO</b>
Raw Manure removed from the ranch within three (3) days (Removed Mondays, Wednesdays, and Fridays)	X	
<b>DEAD BIRDS/BROKEN EGGS:</b>	<b>YES</b>	<b>NO</b>
Stored in Fly-tight containers	X	
Removed from ranch weekly	X (daily)	

**FLY CONTROL**

<b>BAIT STATIONS:</b>		<b>YES</b>	<b>NO</b>	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly		X		
<b>Adult flies:</b>	<b>NOT OBSERVED</b>	<b>LIGHT</b>	<b>MODERATE</b>	<b>HEAVY</b>
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		YES	NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	<b>X</b>			
Emergency activities need to be implemented		<b>YES</b>	<b>NO</b>	<b>X</b>

<b>RANCH IS IN COMPLIANCE</b>	<b>YES X</b>	<b>NO</b>
-------------------------------	--------------	-----------

### OBSERVATIONS:

Fania flies were observed in coops 5 thru 7 again. Many sites (under all coops) were inspected for evidence of larvae.

In coop #4 (with the dirt floor), compacted manure was inspected in a couple of areas and no larvae were discovered. All coops were treated with insecticide (spray) on Monday, November 19<sup>th</sup> and Thursday, November 22<sup>nd</sup>, 2018, and Friday, November 23<sup>rd</sup>, 2018 (Triazicide) of last week. Fly traps were rejuvenated on Tuesday, November 23<sup>rd</sup>, 2018.

Spilled feed (between and below) and some compacted manure (below) below coops 1-3 and 5-7 is still an issue that needs to be remedied (found no larvae in any spilled feed). Owner has been told to sweep up the feed and scrape the compacted manure before next inspection.

### RECOMMENDATIONS:

- Maintain removal of chicken manure per the Manure Management Plan requirements (logs faxed to the City every Monday).
- Clean up excessive spilled feed between and under the coops. Remove compacted manure (hand scrape with scraper if necessary) under all of the concrete coops before next inspection.

### ACTION TAKEN:

Next on-site inspection scheduled for **Tuesday, December 11<sup>th</sup>, 2018.**

Biosecurity Measures Taken      Yes   x      No       

Inspected By:   P.Swantek