

CITY OF YUCAIPA
ORDINANCE NO 346
POULTRY RANCH INSPECTION

Ranch Name: HOOVER RANCH – 35870 FIR AVE

Date: December 11, 2018

PROPERTY MAINTENANCE

WATER SYSTEM/COOLING SYSTEM:	YES	NO
Leaks present	X (very few)	
Leaks required to be repaired	N/A <input type="checkbox"/> IMMEDIATELY <input checked="" type="checkbox"/>	24 HOURS <input type="checkbox"/>
Leaks causing wet manure	X	
Wet manure being removed or treated with lime	X	
FEED:	YES	NO
Spilled feed present	X	
Evidence of rodent Infestation present		X
EQUIPMENT:	YES	NO
Operable spray equipment on site	X	

MANURE DISPOSAL, DEAD BIRDS, BROKEN EGGS

MANURE:	YES	NO
Raw Manure removed from the ranch within three (3) days (Removed Mondays, Wednesdays, and Fridays)	X	
DEAD BIRDS/BROKEN EGGS:	YES	NO
Stored in Fly-tight containers	X	
Removed from ranch weekly	X (daily)	

FLY CONTROL

BAIT STATIONS:		YES	NO	
Adult fly bait station located at the end of every house		X		
Bait stations maintained properly		X		
Adult flies:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Adult fly population on the ranch		X		
Emergency Activities need to be implemented		YES	NO	X

LARVA BREEDING:	NOT OBSERVED	LIGHT	MODERATE	HEAVY
Larva breeding on the ranch	X			
Emergency activities need to be implemented		YES	NO	X

RANCH IS IN COMPLIANCE	YES	X	NO
------------------------	-----	---	----

OBSERVATIONS:

Minimal fania flies seen in coops 5 thru 7. Many sites (under all coops) were inspected for evidence of larvae. No larvae was found.

In coop #4 (with the dirt floor), compacted manure was inspected in a couple of areas and no larvae were discovered. All coops were treated with insecticide (spray) on Monday, November 26th and Thursday, November 29th, 2018 of last week. Fly traps were rejuvenated on Tuesday, November 27th, 2018.

Spilled feed (between and below) and some compacted manure (below) in coops 1-3 and 5-7 is still an issue that needs to be remedied (found no larvae in any spilled feed or compacted manure). Owner has been reminded and told to sweep up the feed and scrape the compacted manure prior to the next inspection.

RECOMMENDATIONS:

- Maintain removal of chicken manure per the Manure Management Plan requirements (logs faxed to the City every Monday).
- Clean up excessive spilled feed between and under the coops. Scrape up and remove compacted manure (hand scrape with scraper if necessary) under all of the concrete coops before next inspection.

ACTION TAKEN:

Next on-site inspection scheduled for **Tuesday, December 18th, 2018.**

Biosecurity Measures Taken Yes x No

Inspected By: P.Swantek